

FIG.1A




FIG.1B






FIG.2





PHARMACO-DISTRIBUTION OF HEXAPEPTIDE 60 min AFTER. I.V. INJECTION OF 100 pmoles LABELED PEPTIDE



PHARMACO-DISTRIBUTION OF UNDECAPEPTIDE 10 min AFTER. I.V. INJECTION OF 5 pmoles LABELED PEPTIDE

 $100\mu g$ UNLABLED PEPTIDE 80 Z cpm/mg TISSUE □ cpm/ TISSUE + CROSS-LINKED RADIOCTIVITY (cpm x 1000 /g TISSUE) 200 PROSTATE TESTIS THYROID GLAND TESTIS THYROID TESTIS MESENTERIC GANGLION ESKELETAL MUSCLE ESCARDIAC MUSCLE ESC SEMINAL VESICLE LIVER KIDNEY OESOPHAGUS | SPLEEN URINARY BLADDER PANCREAS -DUODENUM STOMACH TRACHEA ORGANS










FIG.8A-1



FIG.8A-2








FIG. 10




FIG. 11




FIG. 12





FIG. 13(A)






FIG. 14





FIG. 15






FIG. 17




FIG. 18(A)




FIG. 18(B)




FIG. 18(C)




FIG. 19




FIG.20




FIG. 21

